



Rochelle Municipal Utilities
Electric Operations Division

Memo

To: David Plyman

CC: Joanne Peters, Sue Messer

From: Joe Orlikowski

Date: 7/19/2011

Re: Bid Evaluation for a New Class V Forklift

On Thursday, July 7 at 11:00 AM, we open bids for a New model year, Class V Forklift.

We received three (3) bids. Equipment Depot Rockford bid a Nissan PF50LD; Fitzgerald Equipment Rockford bid a Yale GP050VX; and Rockford Industrial Equipment bid a Toyota 8FGV25.

After reviewing the bids, all three bidders met the minimum specifications.

I recommend the bid to be awarded to Equipment Depot of Rockford for a Nissan PF50LD for \$22,997.76

We will be replacing and retiring a 1969 International 7000 forklift.

In the 2011/ 2012 capital outlay budget, we budgeted \$30,000.

July 7

Vendor:	Equipment Depot	Fitzgerald Equip.	Rockford Industrial Equip.
Model:	<i>mus</i> Nissan PF50LD	Yale GP050VX	Toyota 8FGV25
Bid:	\$22,997.76	\$28,366.00	\$23,499.00
	FOB Ill.	plus frt. \$609.12 without full cab - \$21,610.90	plus frt. FOB Indiana

RMU Elec. Op.

Lead 7/7/11

Fitz. R.I.E.

Equip Dept	R.I.E.	Fitz.			
NISSAN PF50LP	YALE GPO50VX	Toyota 8FGVZ5			
22,997.76	28,366.00	23,499			

Vendor:

Model:

Bid:

FOB
IL

609-12 + tax
FOB Indiana

CLASS V FORKLIFT

SPECIFICATIONS:

This specification is to set forth the requirements for a new Class 5, LPG-powered, pneumatic tire, fork lift truck. This unit shall be equipped with the manufacturer's equipment and accessories which are included as standard in the advertised and published literature for this unit. No such item of equipment or accessories shall be removed or omitted for the reason that it was not specified in the bid.

- Class 5 rider fork lift truck with a cab, seated controls, LPG-powered internal combustion engine, counterbalanced, with air-filled pneumatic tires
- Manufactured to meet ANSI B56.1-1969, to include amber strobe light and back-up alarm
- 5000 lbs. load capacity
- 181" min. lift height
- 42" forks
- Carriage mounted load backrest
- Side shifter with cab-mounted controls

If it is necessary to bid alternate equipment or to take exception to the specifications set forth, this must be stated in the bid. Failure to meet specifications may result in the rejection of the bid.

Please include warranty information.

Rochelle Municipal Mutilities Electric Operations Division

	Equipment Depot	Fitzgerald Equip.	Rockford Industrial
	Nissan PF50LD	Yale GP050VX	Toyota 8FGV25
Class 5 rider fork lift truck with a cab, seated controls, LPG-powered internal combustion engine, counterbalanced, with air-filled pneumatic tires	Y	Y	Y
Manufactured to meet ANSI B56.1-1969, to include amber strobe light and back-up alarm	Y	Y	Y
5000 lbs. load capacity	Y	Y	Y
181" min. lift height	Y	Y	Y
42" forks	Y	Y	Y
Carriage mounted load backrest	Y	Y	Y
Side shifter with cab-mounted controls	Y	Y	Y
		has full cab	